

Section 1 ~ Identification

Identity (As Used On Label and List) K152 THIN PAVE	Date Prepared: 05/15/15	Date Revised: 08/10/26
Company Information: KAYLINE COMPANY, INC.	Emergency Telephone Number: 1-800-424-9300	
Address (Number, Street, Suite/Apt#) 3303 LAKESIDE AVENUE	Telephone Number for Information: 1-800-426-5820	
(City, State, and Zip Code) CLEVELAND, OH 44114	Signature of Prepare (Optional) REGULATORY DEPT.	

Section 2 ~ Hazard(s) Identification

Classifications

Physical hazards: Not classified.
Health hazards: Skin Corrosion / Irritation Category 2
Serious Eye Damage / Irritation Category 1
Skin Sensitization Category 1B
Carcinogenicity Category 1A
Target Organ Systemic Toxicity Category 3 Respiratory Irritation

Label Elements



Signal Word: DANGER

Hazard Statement

Causes skin irritation. Causes eye irritation. May cause allergic skin reaction. May cause respiratory irritation. May cause cancer. Causes damage to lungs through prolonged or repeated inhalation.

Precautionary Statement

Prevention: Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust. Wash skin thoroughly after handling. Use only outdoors or in a well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection.
Response: If exposed or concerned: Get medical advice/attention. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. Take off contaminated clothing and wash before reuse. If skin irritation or rash occurs: Get medical advice/attention. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Disposal: Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3 ~ Composition/Information on Ingredients

Chemical Name	CAS Number	Percentage
Crystalline Silica	14808-60-7	50.0 – 80.0
Portland Cement	65997-15-1	20.0 – 50.0

Section 4 ~ First Aid Measures

Eyes: Flush eyes with water for at 15 minutes immediately after exposure. Contact a medical professional.
Ingestion: Do not induce vomiting. If ingested, contact a physician or poison control center immediately.
Inhalation: Leave area to avoid dust and breathe fresh air. Seek medical attention if respiratory irritation persists.
Skin: Wash skin with soap and water. If skin irritation or rash develops, seek medical attention.

Section 5 ~ Firefighting Measures

Flash point: No information available.
Autoignition temperature: No information available.
Flammable limits in air - Lower (%): No information available.
Flammable limits in air - Upper (%): No information available.
Suitable extinguishing media: This material is non-combustible. Use extinguishing media appropriate to the surrounding area.
Protective equipment for firefighters: Protective clothing and approved breathing apparatus consistent with normal firefighting professionals and procedures.
Firefighting measures: This material is not expected to burn.

Section 6 ~ Accidental Release Measures

Avoid creating excessive dust. Dampen material with water to control dusting. Sweep up and transfer into an appropriate container for disposal. Dispose of this material in accordance with federal, state and local regulations. Do not put down sink as slurry material may plug drains.

Section 7 ~ Handling and Storage

Material should be stored in a cool, dry location in a sealed container. When handling this material, avoid inhaling dust and avoid contact with eyes and skin. The use of respirators, goggles, and gloves are recommended protective handling equipment.

Section 8 ~ Exposure Controls/Personal Protection

Eye protection: Wear appropriate eye protection such as safety goggles or face shields. Avoid contact eyes and face while handling this material. If eyes become contaminated, use eye wash station.

Respiratory protection: Wear appropriate NIOSH approved dust respirator when airborne dust levels exceed threshold limit value as indicated on manufacturer's SDS.
Skin protection: Wear impervious protective gloves. In addition to protecting hands, make sure suitable protective clothing is worn by material handlers to prevent skin irritation elsewhere on body.

Engineering Controls: This material should be used in well ventilated areas. Mechanical and local exhausts should be used in poorly ventilated areas.

Chemical Name	CAS Number	Regulation	Limit
Crystalline Silica	14808-60-7	OSHA TWA	0.1 mg/m3 Respirable
		OSHA TWA	0.3 mg/m3 Total Dust
		ACGIH TWA	0.025 mg/m3 Respirable Fraction
		OSHA PEL	5.0 mg/m3 Respirable Fraction
		OSHA PEL	15 mg/m3 Total Dust
Portland Cement	65997-15-1	ACGIH TWA	10 mg/m3

Section 9 ~ Physical and Chemical Properties

Form: Powder **Color:** Gray **Odor:** Odorless **pH:** Approximately 12 **Specific gravity:** 2.7 **Solubility in water:** Not soluble.

Section 10 ~ Stability and Reactivity

Stability: This material is stable under recommended storage, usage, and handling procedures.

Hazardous Reactions: Will not occur under normal conditions.

Non-Hazardous Reactions: This material becomes hard when exposed to water.

Section 11 ~ Toxicological Information

Thinpave Cement is a gray powder material. Dust in air may irritate respiratory tract and eyes. Do not breathe in dust. Use a respirator while using this product. If overexposed to dust, leave the area immediately to breathe fresh air.

ACUTE HEALTH EFFECTS OF EXPOSURE & ROUTES OF EXPOSURE

Eyes: Dust may cause eye irritation and abrasion. Flush eyes with water immediately after. Exposure to avoid irritation and possible chemical burns.

Ingestion: Digesting this material may cause irritation to the mouth, throat, and digestive tract. If ingested, contact your primary care physician immediately.

Inhalation: Do not breathe in dust. Dust may irritate nose, mouth, and respiratory tract.

Skin: This material may cause skin irritation. Exposure to the skin may cause cracking, dryness, irritation, or possible chemical burns. Wet portland cement and alkaline contents can cause inflammation of skin.

CHRONIC HEALTH EFFECTS OF EXPOSURE

Prolonged and repeated exposure to free crystalline silica quartz has been evaluated by IARC as having sufficient evidence of producing cancer in laboratory animals and humans (Group 1). Silicosis may result from breathing in free silica. Avoid prolonged and repeated exposure to this material.

Section 12 ~ Ecological Information

This product is not expected to be hazardous to the environment; however release of this product into surface waters or other natural ecosystems should be avoided.

Section 13 ~ Disposal Considerations

Material disposal method: Disposal of this material should comply with federal, state, and local regulations. Do not discharge into drains or groundwater runoff.

Container disposal method: Disposal of this material's packaging should comply with federal, state, and local regulations.

Section 14 ~ Transportation Information

USDOT: NOT REGULATED, NON-HAZARDOUS

NMFC: Class 50

Commodity: Hydraulic Cement

Section 15 ~ Regulatory Information

FEDERAL REGULATIONS

SARA 311/312: Hazard Categories for SARA 311/312 Reporting: Yes

SARA 313: This product contains no chemicals that are subject to Annual Release Reporting Requirements under SARA Section 313 (40 CFR 372)

TSCA Registration: All components are either listed or exempt from the Toxic Substance Control Act inventory.

OSHA Regulations: This product is not a substance specifically regulated by OSHA (29 CFR 1910.1001-1050). This product contains "Hazardous Chemicals" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

STATE REGULATIONS

State RTK	Chemical Name	CAS Number
MA, NJ, PA	Crystalline Silica	14808-60-7
MA, NJ, PA	Portland Cement	65997-15-1

CA PROPOSITION 65: This material contains chemicals to cause cancer, birth defects, and/or other reproductive harm.

Section 16 ~ Other Information

	HMIS	Key
HEALTH	1	4= Severe
FLAMMABILITY	0	3= Serious
REACTIVITY		2= Moderate
PHYSICAL	0	1= Slight
PERSONAL PROTECTION		0= Minimal

Disclaimer: Kayline Company, Inc. cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available. The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and -may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet